ELSEVIER

Materials Science and Engineering, A191 (1995) 281

MATERIALS SCIENCE & ENGINEERING A

Author Index of Volume 191

Amato, R.A., 49

Badini, C., 185
Barnard, J.A., 233
Beffort, O., 113, 121
Bertram, A., 105
Besson, J., 267
Bhat, M.S., 203
Bonino, J.P., 165
Bonneville, J., 85
Breder, K., 257
Bretschneider, J., 61
Brieu, M., 165
Bryan, S.R., 209
Burton, B., 135

Campbell, G., 1
Chabala, J.M., 209
Chen, J., 233
Chowdhury, S.R., 27

Dean, T.A., 39
Drew, R.A.L., 239

Fan, Z., 73
Ferber, M.K., 257
Foiles, S., 1

Ghosh, A.K., 143, 151
Gonis, T., 1

Han, J., 105
Heinrich, J.C., 203
Henshall, G., 1
Hermann, W., 105
Holste, C., 61
Huang, C., 39
Huang, C.M., 249

Jeng, S.M., 49

Kaesche, H., 17
Kerdelhué, P., 267
Khandelwal, P., 257
Kim, C., 143
Kim, S., 143
King, W.E., 1
Kirkland, T.P., 257
Kleinert, W., 61
Koch, C.C., 223
Kriven, W.M., 249
Krucek, T.W., 209

Lavernia, J., 171
Lesuer, D., 1
Levi-Setti, R., 209
Liu, C., 49
Liu, C.T., 223
Liu, H., 171
Loretto, M.H., 39

Maier, H.J., 17
Maier, R.D., 209
Malimánek, J., 193
Marino, F., 185
Martinelli, A.E., 239
Massardier, V., 267
Merle, P., 267
Merrick, H., 151
Mogilevsky, R., 209
Morris, D.G., 91
Mukherji, T., 151

Nagelhout, D., 203
Narasimhan, R., 27
Nazmy, M., 91
Noseda, C., 91
Novák, V., 193

Olschewski, J., 105
Orlová, A., 85

Peguiron, D., 91
Poirier, D.R., 203
Popp, W., 17

Rangel, R.H., 171
Reynolds, G.L., 135
Rousset, A., 165

Shoemaker, G.L., 209
Sockel, H.G., 105
Solenthaler, C., 113, 121
Soni, K.K., 209
Spätig, P., 85
Speidel, M.O., 113, 121
Sukidi, N., 223

Uggowitzer, P.J., 121

Verelst, M., 165
Verma, R., 143, 151
Verné, E., 185

Wereszczak, A.A., 257
Wolbach, W.S., 209

Xiong, F., 249
Xu, Y., 249

Yang, J.M., 49

Zangvil, A., 249
Zarubová, N., 193
Zywicz, E., 1

Elsevier Science S.A.

ELSEVIER

Materials Science and Engineering, A191 (1995) 283–285

MATERIALS SCIENCE & ENGINEERING A

Subject Index of Volume 191

Activation volume
analogy between creep cycles and stress relaxation series for activation volume measurement, 85
Alloys
calorimetric study on precipitation path in 2024 alloy and its SiC composite, 185
effects of hydrogen on ductile fracture of a spheroidized low alloy steel, 17
experimental study of the interaction of magnesium with the reinforcement in Al–Mg–Si alloy/α-alumina platelet composites, 267
high toughness and high strength spray-deposited AlCuMgAg-base alloys for use at moderately elevated temperatures, 121
identification of elastic constants of alloys with sheet and fibre textures based on resonance measurements and finite element analysis, 105
measurement of interfacial shear properties of composites of Ti-1100 alloy reinforced with SCS-6 SiC monofilament fiber, 151
microstructure and mechanical properties of an Fe–Al alloy of low aluminium content, 91
modeling of droplet-gas interactions in spray atomization of Ta–2.5W alloy, 171
reactions at the matrix/reinforcement interface in aluminum alloy matrix composites, 209
the grain size dependence of ductile fracture toughness of polycrystalline metals and alloys, 73
the oxidation of Ni_3Si-base alloys, 223
Alumina composites
experimental study of the interaction of magnesium with the reinforcement in Al–Mg–Si alloy/α-alumina platelet composites, 267
Aluminium
experimental study of the interaction of magnesium with the reinforcement in Al–Mg–Si alloy/α-alumina platelet composites, 267
flow behaviour and microstructure development of forged Ti–25Al–10Nb–3V–1Mo (super α_2), 39
grain refinement and superplasticity in 5083 Al, 143
high toughness and high strength spray-deposited AlCuMgAg-base alloys for use at moderately elevated temperatures, 121
improvement of strength and fracture toughness of a spray-deposited Al–Cu–Mg–Ag–Mn–Ti–Zr alloy by optimized heat treatments and thermomechanical treatments, 113
martensitic transformations in single crystals of Cu–Al–Ni induced by tensile stress, 193
microstructure and mechanical properties of an Fe–Al alloy of low aluminium content, 91
processing and high temperature deformation of Al_2O_3 fiber-reinforced NiAlFe matrix composites, 49
reactions at the matrix/reinforcement interface in aluminum alloy matrix composites, 209
thermomechanical properties of Ni–Al_2O_3 metal matrix composites produced by electroforming, 165
Boron
growth, structure and stress of sputtered TiB_2 thin films, 233
Carbides
microstructural development during diffusion bonding of α-silicon carbide to molybdenum, 239
Carbon
calorimetric study on precipitation path in 2024 alloy and its SiC composite, 185
measurement of interfacial shear properties of composites of Ti-1100 alloy reinforced with SCS-6 SiC monofilament fiber, 151
Ceramics
laser ablated coatings on ceramic fibers for ceramic matrix composites, 249
Composites
calorimetric study on precipitation path in 2024 alloy and its SiC composite, 185
experimental study of the interaction of magnesium with the reinforcement in Al–Mg–Si alloy/α-alumina platelet composites, 267
laser ablated coatings on ceramic fibers for ceramic matrix composites, 249
measurement of interfacial shear properties of composites of Ti-1100 alloy reinforced with SCS-6 SiC monofilament fiber, 151
processing and high temperature deformation of Al_2O_3 fiber-reinforced NiAlFe matrix composites, 49
reactions at the matrix/reinforcement interface in aluminum alloy matrix composites, 209
thermomechanical properties of Ni–Al_2O_3 metal matrix composites produced by electroforming, 165
Copper
high toughness and high strength spray-deposited AlCuMgAg-base alloys for use at moderately elevated temperatures, 121
improvement of strength and fracture toughness of a spray-deposited Al–Cu–Mg–Ag–Mn–Ti–Zr alloy by optimized heat treatments and thermomechanical treatments, 113
martensitic transformations in single crystals of Cu–Al–Ni induced by tensile stress, 193
Creep
analogy between creep cycles and stress relaxation series for activation volume measurement, 85
in defense of diffusional creep, 135
Crystals
martensitic transformations in single crystals of Cu–Al–Ni induced by tensile stress, 193
mechanial behaviour and development of dislocation arrangements of f.c.c. single crystals fatigued at 77 K, 61

Elsevier Science S.A.

Deformation
processing and high temperature deformation of Al_2O_3 fiber-reinforced NiAlFe matrix composites, 49
Diffusion
in defense of diffusional creep, 135
microstructural development during diffusion bonding of α-silicon carbide to molybdenum, 239
Dislocation
mechanical behaviour and development of dislocation arrangements of f.c.c. single crystals fatigued at 77 K, 61
Droplet-gas interactions
modeling of droplet-gas interactions in spray atomization of Ta–2.5W alloy, 171
Ductile rupture
finite element simulations of ductile rupture in a constrained metal foil, 27

Electroforming
thermomechanical properties of Ni–Al_2O_3 metal matrix composites produced by electroforming, 165

Fatigue
high temperature dynamic fatigue performance of a hot isostatically pressed silicon nitride, 257
mechanical behaviour and development of dislocation arrangements of f.c.c. single crystals fatigued at 77 K, 61
Fibres
identification of elastic constants of alloys with sheet and fibre textures based on resonance measurements and finite element analysis, 105
laser ablated coatings on ceramic fibers for ceramic matrix composites, 249
measurement of interfacial shear properties of composites of Ti-1100 alloy reinforced with SCS-6 SiC monofilament fiber, 151
permeability for flow normal to a sparse array of fibers, 203
Finite element method
finite element simulations of ductile rupture in a constrained metal foil, 27
identification of elastic constants of alloys with sheet and fibre textures based on resonance measurements and finite element analysis, 105
Forging
flow behaviour and microstructure development of forged Ti–25Al–10Nb–3V–1Mo (super α_2), 39
Fracture
effects of hydrogen on ductile fracture of a spheroidized low alloy steel, 17
the grain size dependence of ductile fracture toughness of polycrystalline metals and alloys, 73

Grain refining
grain refinement and superplasticity in 5083 Al, 143
Grain size
the grain size dependence of ductile fracture toughness of polycrystalline metals and alloys, 73

Hot isostatic pressing
high temperature dynamic fatigue performance of a hot isostatically pressed silicon nitride, 257
Hydrogen
effects of hydrogen on ductile fracture of a spheroidized low alloy steel, 17

Interfaces
measurement of interfacial shear properties of composites of Ti-1100 alloy reinforced with SCS-6 SiC monofilament fiber, 151
reactions at the matrix/reinforcement interface in aluminum alloy matrix composites, 209
theory, simulation, and modeling of interfaces in materials—bridging the length-scale gap: a workshop report, 1
Iron
microstructure and mechanical properties of an Fe–Al alloy of low aluminium content, 91
processing and high temperature deformation of Al_2O_3 fiber-reinforced NiAlFe matrix composites, 49

Laser ablation
laser ablated coatings on ceramic fibers for ceramic matrix composites, 249

Magnesium
experimental study of the interaction of magnesium with the reinforcement in Al–Mg–Si alloy/α-alumina platelet composites, 267
high toughness and high strength spray-deposited AlCuMgAg-base alloys for use at moderately elevated temperatures, 121
improvement of strength and fracture toughness of a spray-deposited Al–Cu–Mg–Ag–Mn–Ti–Zr alloy by optimized heat treatments and thermomechanical treatments, 113
Manganese
improvement of strength and fracture toughness of a spray-deposited Al–Cu–Mg–Ag–Mn–Ti–Zr alloy by optimized heat treatments and thermomechanical treatments, 113
Martensite
martensitic transformations in single crystals of Cu–Al–Ni induced by tensile stress, 193
Metal foil
finite element simulations of ductile rupture in a constrained metal foil, 27
Modeling
theory, simulation, and modeling of interfaces in materials—bridging the length-scale gap: a workshop report, 1
Molybdenum
flow behaviour and microstructure development of forged Ti–25Al–10Nb–3V–1Mo (super α_2), 39
microstructural development during diffusion bonding of α-silicon carbide to molybdenum, 239

Nickel
martensitic transformations in single crystals of Cu–Al–Ni induced by tensile stress, 193
processing and high temperature deformation of Al_2O_3 fiber-reinforced NiAlFe matrix composites, 49
the oxidation of Ni_3Si-base alloys, 223
Niobium
flow behaviour and microstructure development of forged Ti–25Al–10Nb–3V–1Mo (super α_2), 39
Nitrogen
high temperature dynamic fatigue performance of a hot isostatically pressed silicon nitride, 257

Oxidation
the oxidation of Ni_3Si-base alloys, 223
Oxygen
processing and high temperature deformation of Al_2O_3-fiber-reinforced NiAlFe matrix composites, 49
thermomechanical properties of Ni–Al_2O_3 metal matrix composites produced by electroforming, 165

Permeability
permeability for flow normal to a sparse array of fibers, 203
Plasticity
grain refinement and superplasticity in 5083 Al, 143
Polycrystalline metals
the grain size dependence of ductile fracture toughness of polycrystalline metals and alloys, 73
Precipitation
calorimetric study on precipitation path in 2024 alloy and its SiC composite, 185

Silicon
calorimetric study on precipitation path in 2024 alloy and its SiC composite, 185
experimental study of the interaction of magnesium with the reinforcement in Al–Mg–Si alloy/α-alumina platelet composites, 267
high temperature dynamic fatigue performance of a hot isostatically pressed silicon nitride, 257
measurement of interfacial shear properties of composites of Ti–1100 alloy reinforced with SCS-6 SiC monofilament fiber, 151
microstructural development during diffusion bonding of α-silicon carbide to molybdenum, 239
the oxidation of Ni_3Si-base alloys, 223
Silver
high toughness and high strength spray-deposited AlCuMgAg-base alloys for use at moderately elevated temperatures, 121
improvement of strength and fracture toughness of a spray-deposited Al–Cu–Mg–Ag–Mn–Ti–Zr alloy by optimized heat treatments and thermomechanical treatments, 113
Spray atomization
modeling of droplet-gas interactions in spray atomization of Ta–2.5W alloy, 171
Sputtering
growth, structure and stress of sputtered TiB_2 thin films, 233
Steels
effects of hydrogen on ductile fracture of a spheroidized low alloy steel, 17
Stress
analogy between creep cycles and stress relaxation series for activation volume measurement, 85
growth, structure and stress of sputtered TiB_2 thin films, 233
martensitic transformations in single crystals of Cu–Al–Ni induced by tensile stress, 193

Tantalum
modeling of droplet-gas interactions in spray atomization of Ta–2.5W alloy, 171
Thin films
growth, structure and stress of sputtered TiB_2 thin films, 233
Titanium
flow behaviour and microstructure development of forged Ti–25Al–10Nb–3V–1Mo (super α_2), 39
growth, structure and stress of sputtered TiB_2 thin films, 233
improvement of strength and fracture toughness of a spray-deposited Al–Cu–Mg–Ag–Mn–Ti–Zr alloy by optimized heat treatments and thermomechanical treatments, 113
Tungsten
modeling of droplet-gas interactions in spray atomization of Ta–2.5W alloy, 171

Vanadium
flow behaviour and microstructure development of forged Ti–25Al–10Nb–3V–1Mo (super α_2), 39